

<http://fecbob.pixnet.net/blog/post/36934935-php%E7%94%A8mysql%E8%B3%87%E6%96%99%E5%BA%AB%E5%AD%98%E5%84%B2session> PHP SESSION
session

cookie session

session php

1000 session 30000 session_sid

session

1. php.ini

php session files "session.save_handler = files" "files" "User"

session

2.

```
CREATE TABLE `db_session` (  
`sesskey` char(32) NOT NULL,  
`expiry` int(11) unsigned NOT NULL,  
`value` text NOT NULL,  
PRIMARY KEY (`sesskey`)  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

[/code]

db_session

sesskey expiry value sesskey

Value session

3. session_mysql.php session

session_mysql.php

PHP :

:

```
<?php
```

```
$gb_DBname = "db_myBBS"; //
```

```
$gb_DBUser = "root"; //
```

```
$gb_DBpass = "23928484"; //
```

```
$gb_DBHOSTname = "localhost"; // IP
```

```
$SESS_DBH = "";
```

```
$SESS_LIFE = get_cfg_var("session.gc_maxlifetime"); // session 。
```

```
function sess_open($save_path, $session_name)
```

```
{
```

```
global $gb_DBHOSTname, $gb_DBname, $gb_DBUser, $gb_DBpass, $SESS_DBH;
```

```
if (!$SESS_DBH = mysql_pconnect($gb_DBHOSTname, $gb_DBUser, $gb_DBpass)) {
```

```
echo "<li>MySql Error:" . mysql_error() . "<li>";
```

```
die();
```

```
}
```

```
if (!mysql_select_db($gb_DBname, $SESS_DBH)) {
```

```
echo "<li>MySql Error:" . mysql_error() . "<li>";
```

```
die();
```

```
}
```

```
return true;
```

```
}
```

```
function sess_close()

{

return true;

}

function sess_read($key)

{

global $SESS_DBH, $SESS_LIFE;

$qry = "select value from db_session where sesskey = '$key' and expiry > " . time();

$qid = mysql_query($qry, $SESS_DBH);

if (list($value) = mysql_fetch_row($qid)) {

return $value;

}

return false;

}

function sess_write($key, $val)

{

global $SESS_DBH, $SESS_LIFE;

$expiry = time() + $SESS_LIFE;

$value = $val;

$qry = "insert into db_session values('$key',$expiry,$value)";

$qid = mysql_query($qry, $SESS_DBH);

if (!$qid) {

$qry = "update db_session set expiry=$expiry, value='$value' where sesskey='$key' and expiry > " . time();
```

```
$qid = mysql_query($qry, $SESS_DBH);  
  
}  
  
return $qid;  
  
}  
  
function sess_destroy($key)  
{  
  
global $SESS_DBH;  
  
$qry = "delete from db_session where sesskey = '$key'";  
  
$qid = mysql_query($qry, $SESS_DBH);  
  
return $qid;  
  
}  
  
function sess_gc($maxlifetime)  
{  
  
global $SESS_DBH;  
  
$qry = "delete from db_session where expiry < " . time();  
  
$qid = mysql_query($qry, $SESS_DBH);  
  
return mysql_affected_rows($SESS_DBH);  
  
}  
  
session_module_name();  
  
session_set_save_handler("sess_open", "sess_close", "sess_read", "sess_write",  
"sess_destroy", "sess_gc");  
  
?>
```

4. session_mysql.php session_test.php PHP: session_test.php:

```
<?php  
  
include("session_mysql.php");  
  
session_start();  
  
$_SESSION['abc'] = "A: I will be back!";  
  
$_SESSION['meto'] = "B: Me too ";  
  
$_SESSION['name'] = "louis ";  
  
echo "<a href='get_session_test.php'>click me</a>";  
  
?>
```

```
get_session_test.php [ ] [ ] [ ] [ ]: <?php include("session_mysql.php"); session_start(); ec  
ho $_SESSION['abc'];  
  
echo "<br>";  
  
echo $_SESSION['meto'];  
  
echo "<br>";  
  
echo $_SESSION['name'];  
  
$_SESSION['wq'] = "12e";  
  
echo "<br><a href='get_session_test2.php'>click again</a>";  
  
?>
```

```
get_session_test2.php [ ] [ ] [ ] [ ]: <?php include("session_mysql.php"); session_start(); e  
cho $_SESSION['abc'];  
  
echo "<br>";  
  
echo $_SESSION['meto'];  
  
echo "<br>";  
  
echo $_SESSION['name'];
```

```
echo "<br>";
```

```
echo $_SESSION['wq'];
```

```
//session_destroy();//session
```

```
?>
```